



# 7070R

Tactical Flashlight

Along with the progress in electronic technology, the 7070R has become the most advanced flashlight in the Peli line. Incorporating wireless charging and Bluetooth app controlled programming are just two such examples.

In addition to these futuristic features, the 7070R includes full time battery level indication, dual switch design and extreme high performance light output. All of this yet in a more compact design.

The dual switch feature is another first from Peli as seen in the 7060 model. The dual switch technology allows the light to be activated by either a forward mounted switch (good for all general duty use) or a rear mounted switch (conductive for tactical applications).

Another first, the custom programming allows the user to personalize the modes through the intuitive app. This unique app allows the user to program up to 5 switch sequences with varied light levels and/or flashing modes.

The 7070R incorporates a rechargeable lithium-ion battery that uses a versatile wireless charger, another futuristic first.

For the latest in flashlight technology, the exciting Peli 7070R is clearly the leader.



- Full Time Battery Level Indication
- Peli Products, Inc.'s Lifetime Guarantee
- Lithium Ion Rechargeable Battery
- USB Wireless Charging
- Bluetooth App Programming
- Dual Switches
- Anti-Reflective Coated Hardened Glass Lens
- \*\*Where applicable by law

## DIMENSIONS

|               |                 |
|---------------|-----------------|
| <b>Length</b> | 6.88" (17.5 cm) |
|---------------|-----------------|

## MATERIALS

|               |                                 |
|---------------|---------------------------------|
| <b>Body</b>   | Xenoy                           |
| <b>O-Ring</b> | NBR                             |
| <b>Lens</b>   | AR Coated Glass                 |
| <b>Shroud</b> | Aluminum with Type III Anodized |

## COLOURS

■ Black

## LIGHT SPECS

|                  |     |
|------------------|-----|
| <b>Lamp Type</b> | LED |
|------------------|-----|

## POWER

|                           |             |
|---------------------------|-------------|
| <b>Battery Size</b>       | 18650       |
| <b>Battery Type</b>       | Lithium-Ion |
| <b>Battery Quantity</b>   | 1           |
| <b>Batteries Included</b> | yes         |






**Rechargeable**                yes  
**Charge Time**                8 hrs  
**Battery Level Indicator**   Full-time battery indicator  
**Volts**                            3.7v

**WEIGHT**

**Weight With Batteries**    7.9 oz (224 gr)

**SWITCH**

**Switch Type**                 3-Way Side and Tail Switches  
**Light Modes**                Programmable Modes

| <b>FL1 STANDARD</b>   | <b>HIGH</b>    | <b>MEDIUM</b> | <b>LOW</b>   |
|---|----------------|---------------|--------------|
|    | 1219<br>LUMENS | 626<br>LUMENS | 32<br>LUMENS |
|   | 2h 15mins      | 4h 15mins     | 32h 0mins    |
|  | 235m           | 168m          | 40m          |
|  | 13872cd        | 7066cd        | 400cd        |
|  | IPX8 (1m)      |               |              |

**ACCESSORIES**



**2389**  
 Replacement Battery

**Peli**

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999  
[info@peli.com](mailto:info@peli.com) • [www.peli.com](http://www.peli.com)

*Document created on 11-11-20*