



## 3315RZ1-RA

Right Angle Light

Ultra compact, lithium ion rechargeable and safety certified make the Peli™ 3315RZ1-RA one of the most versatile work torches available today. Its compact design fits comfortably in your hand and requires little space for storage or transport. The 3315RZ1-RA produces up to 176 lumens and provides up to 48 hours of continuous run time. 3 modes are provided, High / Low / Flashing. There is a full time battery level indicator built into the power switch so you'll always know when it's time to recharge.

- Full Time Battery Level Indication
- 3 modes High / Strobe / Low
- Lithium Ion Rechargeable Battery
- Lanyard (included)
- Safety Certified Atex Zone 1
- Up to 176 Lumens
- Up to 48 hours run time
- IP67 waterproof and dustproof




### DIMENSIONS

<b>Length</b>	8.27" (21 cm)
---------------	---------------

### MATERIALS

<b>Body</b>	Anti-static Impact Modified PC/PBT
<b>O-Ring</b>	EPDM
<b>Lens</b>	Polycarbonate (PC)
<b>Shroud</b>	Anti-static Impact Modified PC/PBT
<b>Clip</b>	Stainless Steel

### COLOURS

 High Visibility Yellow

### LIGHT SPECS

<b>Lamp Type</b>	LED
------------------	-----

### POWER

<b>Battery Size</b>	18650
<b>Battery Type</b>	Lithium-Ion
<b>Battery Quantity</b>	1
<b>Batteries Included</b>	yes
<b>Rechargeable</b>	yes
<b>Charge Time</b>	5 hrs
<b>Battery Level Indicator</b>	RGB LED
<b>Volts</b>	3.7v

### SWITCH

<b>Switch Type</b>	Push Button
--------------------	-------------

**Light Modes**






High / Low / Flashing

**CERTIFICATIONS**

**ATEX Zone 1  
IECEX ib**

**OTHER**

**Minimum Pack  
Package Code** 1  
C

<b>FL1 STANDARD</b>	<b>HIGH</b>	<b>LOW</b>
	176 LUMENS	22 LUMENS
	5h 30mins	48h 0mins
	127m	44m
	4022cd	492cd
	IP67	

**ACCESSORIES**



**3317**  
Right Angle Adapter



**3318Z1**  
Deck/Dash Charger Base Unit



**3319Z1**  
Replacement Battery



**6061F**  
Direct Wiring Rig for Fast  
Charger



**8056F**  
12v Plug-in for Fast Charger

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999  
[info@peli.com](mailto:info@peli.com) • [www.peli.com](http://www.peli.com)

*Document created on 10-12-20*